

c

Notice of Allowability

Application No.

10/775,108

Examiner

Carl H. Layno

Applicant(s)

CHEN, YU-YU

Art Unit

3766

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Papers filed February 11, 2004.
2. ☒ The allowed claim(s) is/are 1-7.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

DETAILED ACTION

Drawings

1. Applicant's formal drawings were received by the Office on February 11, 2004 and have been approved by the Examiner.

Allowable Subject Matter

2. Claims 1-7 are allowed.

Reasons for Allowance

3. The following is an examiner's statement of reasons for allowance:

Independent claim 1 describes details of a wireless heartbeat signal receiving module with an electromagnetic shielding whose combination of features could not be found by the Examiner in the prior art. Specifically, the module includes the primary components of a circuit base, a receiver antenna, an RF signal receiving circuit, a heartbeat signal processing circuit, and a shielding box fixed to the top of the circuit base and covering the receiver antenna.

Although U.S. Patent Application Publication 2005/0043638 A1 discloses a similar wrist mounted module, this reference could not be used against the current application since it was created by the same inventor and was filed within a year of the current application.

Other prior art references, discovered by the examiner, failed to disclose all of applicant's claimed features. The Examiner would like to cite the Everett et al (US 3,880,146) and Nissila et al (US 6,327,486) patents for their pertinent use of shielded housings surrounding heart rate

Art Unit: 3766

detection circuits. Unlike applicant's device, however, these references do not disclose the use of a receiver antenna for wireless communications with a separate heartbeat detecting unit. The Gorman (US 6,208,889) patent is one of a number of similar patents disclosing the use of a chest transmitter unit for sensing cardiac signals and wirelessly transmitting these signals to a wrist display unit (Fig.1). Although similar to applicant's device, the Gorman wrist display unit fails to disclose the use of a shielding box surrounding its receiver antenna. Rather than use shielding to deal with signal interference, this patent employs different signal transmission/reception frequencies and error detection and correction schemes to obtain interference free data reception.

In view of these shortcomings in the prior art, the Examiner deems independent claim 1 and its depending claims to be allowable over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carl H. Layno whose telephone number is (571) 272-4949. The examiner can normally be reached on 9/4/5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert E. Pezzuto can be reached on (571) 272-6996. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3766

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



CARL LAYNO
PRIMARY EXAMINER

CHL
6/8/2006